



0.25% SODIUM HYPOCHLORITE SOLUTION

MEETS HEALTH CANADA RECOMMENDATIONS FOR DISINFECTION SUCCESSFULLY TESTED ON CORONAVIRUS (SARS COV & HCOV 229E)

Safety Data Sheet

Emergency Phone: Canutec 613-996-6666 (24 /7)

Section 1 Identification of the Substance/Mixture and of the

company/undertaking

Product identifier

Product Name 0.25% SODIUM HYPOCHLORITE SOLUTION

CAS No. Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Cleaning hard surfaces

Meets Health Canada's recommendations for surface disinfection

hard

Synonym: 0.25% SODIUM HYPOCHLORITE SOLUTION

Details of the supplier of the safety data sheet

Supplier

Greensolv

141 Labrosse Ave Pointe-Claire Quebec Canada H9R 1A3

+1 514-457-8000 www.greensolv.com

info@greensolv.com

Section 2 Hazards Identification

SIMDUT 2005 Classification

Skin corrosion/irritation (Category 2)

Serious eye damage/ eye irritation (Category 2)

info@greensolv.com | www.greensolv.com

info@laurentide.com | www.laurentide.com

page 1/7



GREENSOLV Strip Metal Fast and Clean

Revision 1: 30 March 2020

Pictogramm:

!>

Signal Word(s) ATTENTION

Hazard Statement(s) H315: Cause skin irritation

H319: Cause serious eye irritation

Precautionary Statement(s) P234: Keep only the original container.

P260: Do not breathe dust/fumes/gas/mist/vapours spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth' DO NOT induced

vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+P340+P310: IF INHALED: Transport the person outside and keep him in a position where he can comfortably breathe. Call a

POISON CENTER or doctor immediately.

P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P312: Immediately call a POISON CENTER or doctor.

P332+P313: In case of skin irritation: consult a doctor.

P337+P313: If eye irritation persist consult a doctor.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national

legislation.





Section 3	Composition / Information on Ingredients
-----------	---

CAS# Name % (w/w) Sodium Hypochlorite 7681-52-9 0.25 Deionized water 7732-18-5 99.75

First Aid Measures Section 4

Description of first aid measures

Inhalation

Remove person to fresh air and keep at rest in a position comfortable for breathing. See medical attention if symptoms appear.

Ingestion

Rinse mouth. Do not induce vomiting. Never give anything by mouth to an unconscious person. See medical attention if symptoms appear.

Skin Contact

Rinse skin with plenty soap and water for at least 15 minutes. Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice / attention.

Eye Contact

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Section 5	Fire-Fighting Measures	
-----------	------------------------	--

Suitable extinguishing media

Use extinguishing agent suitable for the surrounding material.

Specific product hazards

In a fire, closed containers may explode. Keep containers cool to prevent breakage and release of the product. Spilled material can make floors slippery and the surfaces it comes in contact with.

Sensitivity to shock and electrostatic discharge

Probably not sensitive.

Fire Fighting Instructions

SMALL FIRE: Use dry chemical powder.

LARGE FIRE: Use water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, auto ignition or explosion.

SDS SODIUM HYPOCHLORITE 0.25%

Technical Support Greensolv inc. (514) 457-8000 | 866-826-8400 info@greensolv.com | www.greensolv.com

Sales Support Laurentide Controls 1-800-728-9230

page 3/7





Special protective equipment for firefighters

Firefighters must wear self-contained breathing apparatus and full firefighting attire. Use personal protective equipment.

Combustion products

Chlorine. Sodium oxide. Oxygen. Emit pungent smoke and irritating fumes when heated to decomposition.

Section 6	Accidental Release Measures
-----------	-----------------------------

Personal Protection:

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Restrict access until cleanup is complete. Ensure that cleaning is done by qualified personnel. Remove all sources of ignition. Remove combustible and flammable materials. All persons involved in clean-up should wear appropriate protective equipment (see Section 8)

Spill /cleanup:

Absorb with an inert material and dispose of the waste in an appropriate container. Finally, clean by spreading water on the contaminated surface and dispose of according to local or regional regulations required by the authorities.

Environmental precautions:

Prevent entry into sewers, basements or confined areas; dike if needed. Dispose of as local, Provincial and national regulations.

Section 7 Handling and Storage	
--------------------------------	--

Handling and procedure

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not ingest. Protect against frost. Spilled material can be slippery. Avoid breathing mist or vapors. When mixing, gently add to water to minimize heat generation and accidental splashing. Label the container properly. Provide adequate ventilation.

Storage temperature

Keep in an isolated and approved place. Store in a cool, well-ventilated. Place away incompatible materials. Keep container tightly closed until needed. Avoid extreme temperatures (below 0°C or above 30°C.)

Incompatible materials

Powerful reducing agents. Combustible materials. Aluminium. Metals. Ammonia. Strong acids. Sources of ignition. Direct sunlight.

info@greensolv.com | www.greensolv.com

info@laurentide.com | www.laurentide.com



GREENSOLV Strip Metal Fast and Clean

Revision 1: 30 March 2020

Section 8 Exposure Controls / Personal Protection

Control parameters

Engineering Controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the workstation on location.

Personal Protective equipment

Eyes: Face shield (recommended), safety glasses or goggles

Body: Long sleeves.

Respiratory: Wear appropriate respirator for volatile organic compound (VOC). Approved

or certified respirator with Organic vapor cartridges.

Hands: Chemical resistant gloves (rubber, nitrile, latex or equivalent).

Feet: Boots.

Personal Protection in Case

of a Large Spill: Splash goggles. Full suit. Boots. Gloves. Respirator for VOC.

Exposure limits: Refer to section 11 of this safety data sheet.

Section 9 Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State and appearance: Liquid. Color: Yellowish.

Odor: similar to chlorine. pH: 11.3 (12%). Not available. **Boiling Point:** Freezing point: Not available. Flash Point: Not available. Flash Point: Not available. Flammability: Not available. Upper/lower flammability limit: Not available. Upper/lower flammability limit: Not available. Critical Temperature: Not available. Relative density: Not available. Vapor Pressure: 12 mmHg (12%) Volatility: Not available. Odor threshold: Not available. **Evaporation Rate:** Not available.

VOC: 0%

Viscosity: Not available.

Dispersion Properties: Not available.

Solubility: Soluble in water.

Decomposition temperature: Not available.

SDS SODIUM HYPOCHLORITE 0.25%

Technical Support
Greensolv inc.
(514) 457-8000 | 866-826-8400
info@greensolv.com | www.greensolv.com

Sales Support Laurentide Controls 1-800-728-9230

info@laurentide.com | www.laurentide.com

page 5/7





Section 10 Stability and Reactivity

Stability and Reactivity

The product is stable under normal conditions.

Dangerous Polymerization

Will not occur.

Conditions of Instability:

Direct sunlight. Extremely high or low temperatures.

Hazardous Decomposition products

Hydrogen chloride. Chlorine. Phosgene.

Section 11 Toxicological Information

Toxicological effects

Chronic Effects on Humans: Carcinogenic Effects: Not listed by IARC or ACGIH

Other Toxic Effects on Humans: Irritating to eyes and skin.

Special remarks on Toxicity

(Calculated value of the mixture)

to Animals: Not Available.

Special Remarks on Chronic

Effects on Humans: Not Available.

Special Remarks on Other Not Available.

Toxic Effects to Human:

Section 12 Ecological Information

BOD and COD:

Biodegradable/OECD:

Mobility:

Products of degradation:

Not available.

Not available.

Not available.

Not available.

SDS SODIUM HYPOCHLORITE 0.25%

Technical SupportGreensolv inc.
(514) 457-8000 | 866-826-8400
info@greensolv.com | www.greensolv.com

page 6/7

Sales Support Laurentide Controls 1-800-728-9230

info@laurentide.com | www.laurentide.com





Section 13 Disposal Considerations

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

Section 14 Transport information

Information on the regulation:

Classification DOT Classification TMD Class IMDG Class IATA-DGR

In accordance with DOT, no dangerous goods within the meaning of transport regulations.

Section 15 Regulatory Information

WHIMS Information:

The product is regulated according to the Controlled Products Regulations (CPR) in Canada. See Section 2 for a WHMIS classification.

Section 16 Other information

REVISED BY: Ann Grenier, Chemist DATE: March 30th, 2020 APPROVED BY: Carlomagno Ouellet, Chemist. DATE: March 30th, 2020

References:

1.The SDS from the manufacturer / supplier of products database 2.CSST, toxicological Directory, WHMIS, 2015.

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained therein. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

SDS SODIUM HYPOCHLORITE 0.25%

Technical Support Greensolv inc. (514) 457-8000 | 866-826-8400

(514) 457-8000 | 866-826-8400 info@greensolv.com | www.greensolv.com

page 7/7 Sales Support

Laurentide Controls 1-800-728-9230 info@laurentide.com | www.laurentide.com